

WASHINGTON, DC 20005

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. 09/914,795 09/05/2001 Gunther Berndl 49727 4232 **EXAMINER** 05/24/2006 26474 7590 NOVAK DRUCE DELUCA & QUIGG, LLP GOLLAMUDI, SHARMILA S 1300 EYE STREET NW ART UNIT PAPER NUMBER **SUITE 400 EAST TOWER**

1616 DATE MAILED: 05/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Appli	cation No.	Applicant(s)	
Office Action Summary		14,795	BERNDL ET AL.	
		iner	Art Unit	
	Sharr	nila S. Gollamudi	1616	
The MAILING DATE of this comm	nunication appears of	n the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIO WHICHEVER IS LONGER, FROM TH - Extensions of time may be available under the provision after SIX (6) MONTHS from the mailing date of this of the provision of the pr	E MAILING DATE Options of 37 CFR 1.136(a). In communication. In statutory period will apply a reply will, by statute, cause the this after the mailing date of the status	F THIS COMMUNICATION no event, however, may a reply be tined and will expire SIX (6) MONTHS from a application to become ABANDONE	I. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
 Responsive to communication(s) This action is FINAL. Since this application is in condit closed in accordance with the present the condition of the condition of the closed in accordance with the present the condition of the condition of the closed in accordance with the present the communication of the co	2b)⊠ This action ion for allowance exc	is non-final. cept for formal matters, pro		
Disposition of Claims				
4) Claim(s) 1-8 is/are pending in the 4a) Of the above claim(s) 5) Claim(s) is/are allowed. 6) Claim(s) 1-8 is/are rejected. 7) Claim(s) is/are objected to result of the company o	s/are withdrawn fron			
Application Papers		•		
9) The specification is objected to be 10) The drawing(s) filed on is/a Applicant may not request that any of Replacement drawing sheet(s) inclu 11) The oath or declaration is objected.	are: a) accepted objection to the drawing ding the correction is re	g(s) be held in abeyance. See equired if the drawing(s) is ob	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d)) .
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a classification. a) All b) Some * c) None of the prior of the prior of the prior of the copies of the prior of the certified copies of the prior of the certified copies of the certif	f: rity documents have rity documents have ies of the priority doc ational Bureau (PCT	been received. been received in Applicati tuments have been receive Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Revie 3) Information Disclosure Statement(s) (PTO-144 Paper No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:		

DETAILED ACTION

Request for Continued Examination filed 2/15/06 is acknowledged. Claims 1-8 are pending in this application.

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/15/06 has been entered.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The term "accelerated release" in claim 1 is a relative term, which renders the claim indefinite; i.e. accelerated as compared to? The term "accelerated" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

Application/Control Number: 09/914,795 Page 3

Art Unit: 1616

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7 are rejected under 35 U.S.C. 102(b) as being anticipated by EP 0564945.

EP discloses a method of controlling insects. Example 3 discloses a process wherein 20 parts cyfluthrin, 0.1 parts triadminenol, 80 parts beta-cyclodextrin, and 50 parts Carbowax 20M (PEG with a molecular weight of 20,000, and 150 parts of a polymer carrier material is extruded using a twin screw extruder at a temperature of 160 degrees Celsius. Note that "suitable for oral or rectal administration to humans and animals" is intended use that is not given patentable weight.

With regard to claim 7, it is the examiner's position that EP would have the same functional property since the devices are substantially similar and thus the properties must be the same. See MPEP2112 IV, V and 2112.01.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1616

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baert et al (6,365,188) in view of Goertz et al (4,801,460).

Baert et al teach a solid mixture of cyclodextrin prepared via melt extrusion. The melt-extrusion mixture contains cyclodextrin and an active agent. See column 3, lines 26-40. Baert discloses that cyclodextrins increase the solubility of the insoluble drugs such as anti-fungals. Any suitable compound may be utilized provided that the drug does not decompose at high temperatures. See column 2, lines 45-60. Baert teaches melt-extrusion as the polymer extrusion technique wherein an active agent is embedded in one or more carriers. In this technique the active and excipients are molten in the extruder and hence embedded in the thermoplastic and thermomelting polymers. See column 3, lines 26-40. Additionally, the mixture may contain additives such as instant polyethylene glycol. See column 4, lines 34-42. The process includes a) mixing the cyclodextrin with the active agent and additives, b) heating the mixture until melting of one of the components occurs, c) forcing the mixture through one or more nozzles, and d) cooling the mixture to obtain a solid product. See column 4, lines 15-25. Although, a temperature of 239 degrees Celsius is exemplified, Baert discloses that different temperatures may be applied and discloses the method of ascertaining the required temperature. See column 5, lines 1-12. The

Art Unit: 1616

extruder has counterotating screw with different shapes. See column 5. The melt-extruded mixture is preferably prepared without water or a solvent. The preferred ratio of the active to cyclodextrin is 1:3. See column 7, lines 64 to column 8, lines 4 and examples.

Baert et al do not teach the instant polymer binder in the extrusion mixture or the molecular weight of the PEG. Additionally, Baert does not teach the instant temperature of 170 degrees Celsius.

Goertz teaches preparation of solid pharmaceutical forms. Goertz teaches providing solid pharmaceutical forms by mixing one or more pharmaceutical agents with one or more fusible, pharmacological binders, and extruded into a shaped form. The binder must soften or melt at 50 to 180 degrees Celsius and preferably 60-160 degrees Celsius. See 2, lines 25-30. The fusible binder may be NVP and vinyl acetate copolymer. See column 3, lines 10-20. The binder is utilized in an amount of not less than 50% and preferably not less than 70%. See column 4, line 45-55. The tablets completely dissolve in 30 minutes. See column 7.

It would have been obvious at the time the invention was made to combine the teachings of Baert et al and Goertz et al and utilize the instant NVP and vinyl acetate copolymer in the extrusion mixture of Baert et al. One would have been motivated to do so since both Baert teaches melt-extrusion is the technique wherein an active agent is embedded in *one or more* carriers (thermoplastic polymers) wherein cyclodextrin acts as the carrier in Baert's formulation. However, it would have been obvious to add another carrier since as taught by Baert and Goertz, melt- extrusion allows for one or more carriers in the composition. A skilled artisan would have expected similar results since both references are directed to the melt extrusion process. Further, the if the instant polymeric carrier is added to the composition, the instant temperature would be

Application/Control Number: 09/914,795 Page 6

Art Unit: 1616

utilized in the process since as taught by Baert, only one of the components need to melt to dissolve the rest of the components. With regard to claim 7, the instant functional limitation will naturally flow from the instant combination.

Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baert et al (6,365,188) in view of Stella et al (6,046,177).

Baert et al teach a solid mixture of cyclodextrin prepared via melt extrusion. The meltextrusion mixture contains cyclodextrin and an active agent. See column 3, lines 26-40. Baert discloses that cyclodextrins increase the solubility of the insoluble drugs such as anti-fungals. Any suitable compound may be utilized provided that the drug does not decompose at high temperatures. See column 2, lines 45-60. Baert teaches melt-extrusion as the polymer extrusion technique wherein an active agent is embedded in one or more carriers. In this technique the active and excipients are molten in the extruder and hence embedded in the thermoplastic and thermomelting polymers. See column 3, lines 26-40. Additionally, the mixture may contain additives such as instant polyethylene glycol. See column 4, lines 34-42. The process includes a) mixing the cyclodextrin with the active agent and additives, b) heating the mixture until melting of one of the components occurs, c) forcing the mixture through one or more nozzles, and d) cooling the mixture to obtain a solid product. See column 4, lines 15-25. Although, a temperature of 239 degrees Celsius is exemplified, Baert discloses that different temperatures may be applied and discloses the method of ascertaining the required temperature. See column 5, lines 1-12. The extruder has counterotating screw with different shapes. See column 5. The melt-extruded mixture is preferably prepared without water or a solvent. The preferred ratio of the active to cyclodextrin is 1:3. See column 7, lines 64 to column 8, lines 4 and examples.

Art Unit: 1616

Baert et al do not teach the instant polymer binder in the extrusion mixture or the molecular weight of the PEG. Additionally, Baert does not teach the instant temperature of 220 degrees Celsius.

Stella et al teaches controlled release forms of solid formulations containing sulfoalkyl ether cyclodextrin (SAE-CD). The controlled release formulation contains a core containing an active agent, at least on SAE-CD, at least one rate controlling modifier, and at least one pharmaceutical acceptable excipient. See column 6, lines 1-7. The core may be made by several methods including melt extrusion. Note example 10. The release rate modifier provides either a rapid, delayed, sustained, timed, or targeted release of the active agent. See column 27, lines 40-50. Stella teaches varying the ratio of the rate controlling modifier and the drug such as 10:1 and 5:1, determines the release rate. The rate control modifier (exemplified HPMC) is varied from 25% to 50%. See column 17. Further, Stella teaches the use of binders such as celluloses, polyethylene glycols, polyvinylpyrrolidone, vinyl alcohol polymers, in order to obtain suitable products and Stella teaches the binders melt at 150 degrees Celsius. See column 27, lines 5-30. Some of the binders named also function as the release rate modifier. See column 27, lines 48-50. The binder is utilized in different proportions in different examples. Example 10 discloses a process utilizing melt extrusion wherein 2.5% of an active, 67.5% of SAE-CD, 10.5% PEG 6000, and excipients are melted at 60 degrees Celsius to form granules. Lastly, Stella et al disclose that major portion (lower limit 50% and preferably greater than 95%) of the SAE-CD is not complexed to the active agent (col. 12, lines 9-22).

It would have been obvious at the time the invention was made to combine the teachings of Baert et al, Stella et al, and Murata et al and utilize the instant water-soluble polymer PEG in

Application/Control Number: 09/914,795 Page 8

Art Unit: 1616

the extrusion mixture of Baert et al. Firstly, one would have been motivated to do so since Stella teaches the use polymer binders such as PEG provide suitable products. Further, although Stella exemplifies the use of 10.5% PEG, it would have been obvious to manipulate the concentration during routine optimization and experimentation absent a showing of the unexpectedness of the instant concentration. With regard to claim 7, the instant functional limitation will naturally flow from the instant combination.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharmila S. Gollamudi whose telephone number is 571-272-0614. The examiner can normally be reached on M-F (8:00-5:30), alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Kunz can be reached on 571-272-0887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sharmila S. Gollamudi Examiner Art Unit 1616

Susse